

Distributed Colorings for Collision-free Routing in Sink-Centric Sensor Networks*

Alfredo Navarra, Cristina M. Pinotti, Andrea Formisano

Dipartimento di Matematica e Informatica, Università degli Studi di Perugia,

Via Vanvitelli 1, I-06123 Perugia, Italy

{navarra|pinotti|formis}@dmi.unipg.it

Abstract

When the environment does not allow direct access to disseminated data, a sensor network could be one of the most appropriate solutions to retrieve the map of interesting areas. Based on existing approaches, we start our study from the standard random deployment of a sensor network and then we consider a coarse-grain localization algorithm that associates sensors with coordinates related to a central node, called the *sink*. Once each sensor is associated with an estimated position, it starts to send data to the sink according to a designed schedule of communications that minimizes energy consumption and time by means of collisions avoidance. The outcome is a challenging combinatorial coloring problem for a specific graph class. We propose a schedule of communications based on distributed and fast coloring algorithms. The proposed solutions solve the underlying problems for the graphs of interest by means of an optimal, and in some cases near-optimal, number of colors. Finally, as the localization provides coarse-grain coordinates, different sensors might be associated with the same coordinates. Hence, in order to avoid that all such sensors perform the same actions (i.e., waste energy), a leader-election mechanism is considered.

KEY-WORDS: Wireless Sensor Networks, Coloring, Routing, Collision.

Contents

1	Introduction	2
1.1	Outline	2
2	The model	2
2.1	Localization	3
3	Coloring	4
3.1	Optimal Coloring for G_3	6
3.2	Optimal Coloring for G_4	10
3.3	Optimal Coloring for G_5	13
4	Coloring for any G_ℓ	14
4.1	Coloring for G_ℓ , with $ \ell _4 = 0$	14
4.2	Coloring for G_ℓ , with $\ell \geq 7$	17
5	Leader election and routing	18
6	Conclusions	19

*Preliminary results concerning this paper appeared in the Proceedings of the 21st International Workshop on Combinatorial Algorithms (IWOCA'10) [10]. The research was partially funded by "Fondazione Cassa di Risparmio di Perugia" (Italy), under the project "Ricerca di base 2009", and GNCS'10 project.

1 Introduction

A duty-cycle wireless sensor and sink network (DC-WSN) consists of many randomly deployed tiny low-cost *sensors* that follow a duty-cycle (that is, a sleep-awake cycle), and a few powerful entities, called the *sinks*. At the best of our knowledge, the duty-cycle behavior was first introduced to save energy in sensor applications for wildlife monitoring [18]. Clearly, DC-WSNs are an extension of wireless sensor networks (WSNs) as we address uncertainty about the existence of a wireless link originating from the random sleep-awake schedules (see [17] for a complete review of WSNs and DC-WSNs).

Specifically, we consider a dense DC-WSN where each sink¹ is mobile and, upon reaching a specific location, remains there to collect data from the sensors in the surrounding area, called the *sink-region*. Sensors are randomly deployed and are employed in applications where they remain unattended in a vast, possibly hostile, geographical area for long periods of time (e.g., environment monitoring and intruder tracking) [3, 4]. Sensors perceive the physical world in their proximity, while sinks, equipped with much better processing capabilities, higher transmission power, and longer battery life, move around the area to collect, aggregate, and transmit to the external world the sensed data collected by the sensors [1, 8]. When a sink reaches an area of interest in the network, the sensors in its vicinity must be organized into a short-lived and mission-oriented subnetwork called the *sink-centric network*.

In the rest of this paper, we will focus on the sink-centric network. We describe a new *virtual infrastructure* surrounding one sink that will be used for routing purposes, that is a variant of another virtual infrastructure previously proposed in [3, 16]. Such new infrastructure, that consists of a *discrete coordinate system* on the *sink-region*, is imposed by a localization protocol (also referred to as a *training* protocol). Sensors that acquire identical coordinates form a *cluster* of indistinguishable nodes. This means that the information sent from a cluster to the sink will be always the same, regardless of the sending sensor. This suggests the usage of a leader election mechanisms inside each cluster in order to avoid that each sensor of a same cluster performs the same action, wasting precious energy. Once sensors in the sink-region are localized, sensory data are relayed to the sink based on a geographical routing protocol. Latency, energy efficiency, and collision avoidance are addressed in the design of the routing protocol. We assume that a collision occurs when a sensor receives more than one message at the same time. Therefore, to avoid message collisions, communication schedules have to be designed. The main contribution of the paper is the design of a communication schedule based on fast and distributed coloring algorithms, that are applied in order to accomplish collision-free leader election and routing tasks.

1.1 Outline

The remaining of this paper is so organized. After summarizing our model in Section 2, Section 2.1 describes the first contribution of the paper. In particular, the virtual infrastructure used in the literature is modified in favor of a uniform usage of the involved sensors. Section 3 introduces and optimally solves some coloring problems arising from the requirement of scheduling the communications from the sensors toward the sink without collisions with respect to some possible virtual infrastructures. Section 4 proposes a general framework that provides near-optimal solutions for all the considered virtual infrastructures. Section 5 describes how the proposed coloring can be used for both leader election and routing purposes. Finally, Section 6 provides concluding remarks, and points out possible directions for further investigations.

2 The model

This section revises the model assumptions and the virtual infrastructure proposed in [3, 16, 12] to organize DC-WSNs with respect to a central sink. Time is assumed to be divided into slots.

¹In the literature, the sink is also referred to as the *actor* and, thus, the DC-WSNs can be also called DC-WSANs [3].

All the sensors and the sink use equally long, in-phase slots, but they do not necessarily start counting time from the same slot. All the sensors possess three basic capabilities: sensing, computation, and wireless communication; and operate subject to the following constraints:

- a. Each sensor alternates between *sleep* periods and *awake* periods – a sleep-awake cycle has a total length of L time-slots, out of which the sensor is in awake mode for d slots and in sleep mode for the remaining $L - d$; The awake period is always made of d consecutive slots regardless of the starting time-slot (hence it may span over two consecutive cycles).
- b. Each sensor is *asynchronous* – it wakes up for the first time according to its internal clock and it is not engaged in an explicit synchronization protocol, neither with the sink nor with other sensors. Sensors that wake up simultaneously at time-slot x are said of *type* x or equivalently, they belong to time-zone x ;
- c. Individual sensors are *unattended* – once deployed it is neither feasible nor practical to devote attention to individual sensors;
- d. No sensor has global information about the network topology, but each one can receive transmissions from the sink;
- e. The sensors are *anonymous* – they are not associated with unique IDs;
- f. Each sensor has a modest non-renewable energy budget and a limited transmission range r (the same for all the sensors);
- g. Sensors can transmit and receive on multiple frequency channels. Moreover, the number of channels and frequencies are the same for all the sensors.

Concerning the training protocol that will be further discussed later, it imposes a virtual coordinate system (as in [16, 12]) onto the sensor network by establishing:

1. *Coronas*: The sink-region area is divided into k coronas C_0, C_1, \dots, C_{k-1} each of fixed width $\rho > 0$. The coronas are centered at the sink and determined by k concentric circles whose radii are $\rho, 2\rho, \dots, k\rho$, respectively;
2. *Sectors*: The sink-region is divided into h equiangular sectors S_0, S_1, \dots, S_{h-1} , originated at the sink, each having a width of $\frac{2\pi}{h}$ radians.

If it is clear by the context, we may sometimes refer to clusters and sectors simply by specifying their cardinal number, i.e., C_i or S_i might be both denoted simply by i . A *cluster* is the intersection between a corona c and a sector s where all sensors acquire the same coordinates, and it is denoted by (c, s) . Once the training protocol has terminated, we assume a data logging application, where the sensors are required to send their sensory data to the sink. When sensors transmit, if an awake sensor receives more than one message concurrently on the same frequency channel, we assume that it hears noise, i.e., a *collision* occurs and the messages get lost.

2.1 Localization

Many research papers have provided different approaches to make anonymous sensors aware of their coarse-grain positions [3, 4, 16, 12, 2, 11, 13, 14]. In order to perform the training, two main procedures are usually executed. In the first procedure, the sink makes use of its uniform omnidirectional antenna for training sensors about the relying coronas. In the second one, the sink makes use of its directional antenna for training sensors about the relying sectors. Our interest is in the final virtual infrastructure implied by the coordinates acquired by the sensors during a training protocol. Differently from previous approaches, we maintain the area of each cluster roughly the same among the whole network. In this way, we better guarantee a uniform

usage of the disseminated sensors in favor of better performances, and of an extended network lifespan. In order to obtain the desired configuration, let ℓ be the number of sectors imposed in corona 1.² Considering $\rho = 1$, the number of sectors will be doubled at each corona $c = 2^p$, $0 < p \leq \lfloor \log_2(k-1) \rfloor$. In fact, corona $c = 2^p$ has area $\pi(2^{p+1} + 1)$ that is less than the double of the area of corona $c = 2^{p-1}$. In doing so, we obtain that the proposed subdivision guarantees the following result:

Lemma 1 *The ratio given by the area spanned by two generic clusters is at most 2.*

Proof. Let (c, s) , $c > 1$, be a generic cluster of the imposed virtual infrastructure, and let $p = \lfloor \log_2 c \rfloor$ that implies $2^p \leq c < 2^{p+1}$. The area spanned by corona 1 is 3π and it is divided into ℓ sectors. The area spanned by the generic corona c is $((c+1)^2 - c^2)\pi$ and it is divided by construction into $2^p \ell$ sectors. Hence, the area of one cluster in corona 1 is equal to $A_1 = 3\frac{\pi}{\ell}$, while the area of one cluster in corona c is equal to $A_c = \frac{(2c+1)\pi}{2^p \ell}$. The ratio gives:

$$\frac{A_1}{A_c} = 3\frac{\pi}{\ell} \times \frac{2^p \ell}{(2c+1)\pi} \leq \frac{3 \cdot 2^p}{2 \cdot 2^p} = \frac{3}{2},$$

and

$$\frac{A_1}{A_c} = 3\frac{\pi}{\ell} \times \frac{2^p \ell}{(2c+1)\pi} \geq \frac{3 \cdot 2^p}{2((2^{p+1}-1)+1)} \geq \frac{3 \cdot 2^p}{4 \cdot 2^p} = \frac{3}{4}.$$

Hence, the biggest ratio between the area of two generic clusters of the imposed virtual infrastructure gives:

$$\frac{3}{2}A_1 \times \frac{4}{3} \frac{1}{A_1} = 2.$$

□

Figure 1 illustrates the virtual infrastructure when $\ell = 3$. The sectors in corona c are numbered from 0 to $h_c - 1$ starting to count from the sector above the x-axis. Noting that the outmost corona $c = k - 1$ will be divided into $h = \ell 2^{\lfloor \log_2(k-1) \rfloor}$ sectors, the virtual infrastructure can be obtained as an ordinary coordinate system with k coronas and h sectors, in which sensors in the inner coronas just ignore further subdivisions into more than the required sectors.

3 Coloring

Once that sensors are deployed and localized (cf., Section 2.1), we need to schedule their communications toward the sink in order to deliver the sensory data. Such communications should be scheduled in such a way that collisions are avoided, and the transmission delays as well as the energy consumption are minimized. To this aim, in the following, we introduce a frequency channel assignment (in terms of a coloring algorithm) on the adjacency graph associated with the virtual infrastructure imposed by the localization algorithm.

Namely, recalling that ℓ is the number of clusters in corona 1 of the virtual infrastructure, the adjacency graph G_ℓ has one node for each cluster in corona $c \geq 1$ and one edge for each pair of nodes corresponding to adjacent clusters. Formally:

Definition 1 *The adjacency graph G_ℓ has one node (c, s) , with $1 \leq c \leq k - 1$ and $0 \leq s \leq h_c$, for each cluster in corona $c \geq 1$ of the virtual infrastructure. Two nodes (c, s) and (c', s') , with $c \geq c'$, are adjacent if*

1. $c = c'$ and $|s - s'| = 1$, or
2. $c = c' + 1$ and for some $x \in \mathbb{N}^+$, $2^{x-1} \leq c' < c < 2^x$ and $s = s'$ or

²As it will be better clarified later, corona 0 is not considered in our arguments.




Figure 1: On the left, the virtual infrastructure obtained by starting with 3 sectors. On the right, the corresponding adjacency graph G when corona 1 is divided into 3 sectors. The shadowed nodes represent a maximal subset of nodes at pairwise distance at most 2 in the graph.

3. for some $x \in \mathbb{N}^+$, $c = c' + 1 = 2^x$ and $s' = \lfloor \frac{s}{2} \rfloor$.

Figure 1 shows the virtual infrastructure when $\ell = 3$ and the corresponding adjacency graph G_ℓ . For the rest of our discussion, we do not take into consideration corona 0, as the schedule of communications in there (included forwarding communications from outer coronas) is not necessary, due to the proximity of the sensors with the sink that can retrieve the information by itself. It is like assuming that if a transmission reaches corona 0 then it has reached the sink.

In the rest of this section we focus on colorings of graph G_ℓ . In particular, assuming that the transmission range assigned to the sensors implies the adjacency graph G_ℓ among clusters, we require the following coloring:

Definition 2 A distance-two coloring (or frequency channel assignment), is a function that assigns to each node of G_ℓ a color in such a way that any two nodes at distance smaller than or equal to 2 are not assigned to the same color.

By providing the defined coloring, we obtain a collision-free schedule of the transmissions that must be performed by the sensors. In fact, such a coloring implies that two sensors residing in two different clusters with a common neighbor never transmit on the same channel, as different colors specify different communication frequency channels. Hence, adjacent clusters can perform in parallel their communications without causing collisions. Clearly, the minimization of the used colors implies the minimization of the frequencies that the schedule requires for a round of transmissions. In the following, we will refer to *distance-two coloring* simply as *coloring* algorithm. We will postpone to Section 5 how such a coloring (or, scheduling) can be used for leader election and/or for routing purposes.

By construction, it follows that the largest subset of pairwise nodes at distance at most 2 of G_ℓ , $\ell > 0$, has size 6 (see for instance the shadowed nodes in Figures 1 and 2 for the cases $\ell = 3$ and $\ell = 4$, resp.). Thus:

Lemma 2 Any coloring of G_ℓ , $\ell > 0$, that satisfies the distance-two constraint requires at least 6 colors.

Proof. A generic node $x \in G_\ell$ corresponds to a cluster (c, s) in the imposed coordinate system. The neighbors of x corresponding to other clusters in c are at most 2. By construction, x admits only one neighbor corresponding to corona $c - 1$ while at most two neighbors corresponding to

Algorithm	ℓ	# of colors
<i>OPT3</i>	$\ell = 3 \cdot 2^i, i \geq 0$	6
<i>OPT4</i>	$\ell = 4$ or $\ell = 5$	7
<i>Col4</i>	$ \ell _4 = 0$	8
<i>Ext-Col4</i>	$\ell \geq 7$	9

Table 1: Resume on the proposed coloring algorithms.

corona $c + 1$. In fact, clusters are doubled at every corona labelled by a power of two. Moreover, the clusters established at some corona are maintained along all the coronas with bigger labels. Thus, (c, s) admits only one neighbor $(c - 1, s)$ in corona $c - 1$ and at most two neighbors in corona $c + 1$, when $c + 1$ is labelled by a power of two. All these neighbors along with x form then the biggest set of nodes in G_ℓ at pairwise distance at most 2. Hence 6 colors are required by any coloring satisfying the distance-two constraint. \square

Motivated by the well-known Brooks theorem [5], which proves that Δ colors are sufficient to color any graph with a maximum degree of Δ , it is possible to provide a coloring within distance-two of G_ℓ , that is, a coloring of the graph G_ℓ^2 (i.e., G_ℓ augmented by those edges between any two nodes at distance 2 in G_ℓ), using at most 16 colors. In fact, G_ℓ^2 has maximum degree 16 (see for instance Figure 1). Moreover, since G_ℓ is planar, related bounds concerning distance-two colorings for the square of planar graphs can be found in [15, 7], and references therein. However, in our context, all such results do not imply any better bound than the cited 16.

In the following, on the contrary, by exploiting the structure of G_ℓ , we provide optimal coloring algorithms using exactly 6 colors, and near-optimal coloring algorithms using at most 9 colors for the considered graphs.

Let $|i|_j$, with i and $j \in \mathbb{N}^+$, denote the *modulo* operation, that is the non-negative remainder of the integer division of i by j , then the next property can be stated.

Property 1 *For any $\ell > 2$ and $c = 2^p - 1$ with $h_c = \ell^{2^{\lceil \log_2 c \rceil}} = \ell^{2^{p-1}}$, the set $S_{(c,x)} = \{(c - 1, x), (c, x), (c, |x - 1|_{h_c}), (c, |x + 1|_{h_c}), (c + 1, |2x|_{2h_c}), (c + 1, |2x + 1|_{2h_c})\}$ consists of 6 nodes at pairwise distance at most two.*

Proof. It suffices to note that all the clusters of each set defined in the claim are at mutual distance less than or equal to 2. \square

From now on, let cluster (c, x) be termed the *root* of set $S_{(c,x)}$, for any c and x . In the following, we propose some distance-two coloring algorithms that differ in the number of used colors and in the complexity. In particular, as shown in Table 1, Algorithm *OPT3* for coloring G_3 is shown to be optimal since it makes use of exactly 6 colors. We then show that such an algorithm can be easily extended to any G_ℓ with $\ell = 3 \cdot 2^i, i \geq 0$. For G_4 , we provide algorithm *OPT4* that makes use of 7 colors. Moreover, we prove that *OPT4* is optimal by providing an impossibility result about the colorability of G_4 by means of only 6 colors. The optimal algorithm *OPT4* also provides a method for obtaining an optimal coloring of G_5 by means of 7 colors. Moreover, we propose a sub-optimal algorithm *Col4* for coloring any G_ℓ , with $|\ell|_4 = 0$, that uses 8 colors, and hence at most 2 colors more than the optimum. All the algorithms presented in what follows exhibit a very useful property, that is, each cluster can be colored within a constant number of steps. Hence, the sensors can apply the designed algorithms once they know the coordinates of the clusters where they reside and the coloring of the first 2 (sometimes 4) coronas. Finally, *Col4* is extended for coloring any G_ℓ with $\ell \geq 7$ using at most 9 colors.

3.1 Optimal Coloring for G_3

An optimal distance-two coloring *OPT3* can be found for the virtual infrastructure that partitions the first corona in 3 sectors (Figure 1) and whose adjacency graph is denoted as G_3 . Algorithm *OPT3* is based on two subsets of colors: $\{0; 1; 2\}$, $\{3; 4; 5\}$. The first set is used for odd coronas, the second one for even coronas. This realizes the property for which two clusters at two adjacent




Figure 2: On the left, the virtual infrastructure divided into clusters uniquely identified when $\ell = 4$. On the right, the corresponding adjacency graph G_4 . The shadowed nodes represent a maximal subset of nodes at pairwise distance at most 2 in the graph, i.e. each pair of nodes in the subset is at distance at most 2.

different coronas cannot get the same color. Moreover, for each corona a sequence of the colors is properly selected and repeated for coloring all the sectors in anti-clockwise order. Thus, two clusters associated with the same color at the same corona are at a distance that is a multiple of 3.

Starting from corona 1, we color the clusters using the sequence of colors $\{0; 1; 2\}$ in an anti-clockwise order. Then corona 2 will be colored in the same way but using the sequence $\{3; 4; 5\}$ twice. Any other cluster (c, s) is colored according to the following actions:

- *Shifting*: Given a sequence of colors $\{0, 1, 2\}$, a shifting operation consists in summing $|-1|_3$ to each element of the sequence, hence obtaining $\{2, 0, 1\}$
- *Swapping*: Given a sequence of colors $\{0, 1, 2\}$, a swapping operation consists in exchanging the first element of the sequence with the third one, hence obtaining the sequence $\{2, 1, 0\}$

Any cluster (c, s) , $c > 2$, is colored in the following way (see Figure 4): if the number of clusters in corona c is the same as in corona $c - 2$, then corona c is colored with the sequence obtained from the sequence used in corona $c - 2$ by applying a shifting operation. If the number of clusters in corona c is doubled with respect to corona $c - 2$, then corona c is colored with the sequence obtained from the sequence used in corona $c - 2$ by applying a swapping operation.

Lemma 3 *Algorithm OPT3 assigns colors to clusters satisfying the distance-two constraint.*

Proof. It has been already pointed out how different colors are assigned to clusters at distance one. Moreover, if two clusters of the same color belong to the same corona, then they are at a distance that is a multiple of 3. Therefore, the proof only needs to show the correctness of the coloring for clusters at distance two in different coronas. Let (c, s) and (c', s') be two clusters at distance two, with $c > c'$.

Figure 3 shows the possible configurations. If the number of sectors in c is the same as in c' , then s must be equal to s' . In this case, the sequence of colors used to color c is obtained from the sequence used in the c' after a shifting. This implies that colors assigned to (c, s) and (c', s') are different. Another configuration occurs when the number of sectors in c is doubled with respect to c' , then s is equal either to $2s'$ or to $2s' + 1$. Since in this case the sequence of colors used to color c has been obtained from the one used in c' after a swapping operation, by construction (c, s) may assume any color in the sequence but the one associated to (c', s') . In




Figure 3: The three possible configurations for two clusters at distance 2 when $c > c'$.

fact, let $\{0, 1, 2\}$ be the sequence of colors used in c' , then the sequence $\{2, 1, 0\}$ is used in c . Hence, if the sequence of colors used at corona c' is $\{0, 1, 2\}$ and $OPT3$ assigns color 0 (or 1, or 2, resp.) to (c', s') , then it assigns color 2 (0, 1, resp.) to $(c, 2s')$, and 1 (2, 0, resp.) to $(c, 2s' + 1)$. \square

We now show that each color assigned by $OPT3$ to a generic cluster (c, s) can be evaluated in a constant number of steps with the only assumption of knowing the sequences of colors used in corona 1 and 2. For ease of analysis, from now on we focus only on one set of three colors for coloring all the coronas instead of presenting two specular arguments for odd and even coronas, respectively.

Assuming we know the sequence of colors used at a generic corona c' , the sequence used to color any $c > c'$ that has the same number of clusters of c' can be easily evaluated. In fact, it is sufficient to apply the shifting operation $c - c'$ times. As such operation is associative, the result does not change if we decrease by $|(c - c')|_3$ each single element of the sequence. However, when the number of sectors is doubled with respect to c' then we need a more careful computation. Actually, we evaluate the first and the third colors of the sequence independently. The second then comes as a consequence. The next technical lemma provides a first contribution to the evaluation of the required sequence of colors.

Lemma 4 *Let $\{0, 1, 2\}$ be the sequence of colors used for corona 1, $c = 2^p$ for some $p > 0$, and $\{X', Y', Z'\}$ be the sequence of colors used for corona $c' = 2^{p-1}$, then the sequence of colors $\{X, Y, Z\}$ used for corona c can be evaluated as follows:*

- (a) if $|p|_2 = 0$ then $X = X'$, $Z = |Z' + 1|_3$ and $Y = \{X', Y', Z'\} \setminus \{X, Z\}$;
- (b) if $|p|_2 = 1$ then $X = |X' - 1|_3$, $Z = |Z' + 1|_3$ and $Y = \{X', Y', Z'\} \setminus \{X, Z\}$.

Proof. We prove the lemma by induction on p . The base of the induction is given for the two cases $p = 1$, and $p = 2$. In the first case, corona $c = 2^p = 2$ is colored by using the sequence $\{2, 1, 0\}$ obtained from the one of corona 1 by applying a swapping operation, hence obtaining $X = 2 = |X' - 1|_3$, $Z = 0 = |Z' + 1|_3$ and $Y = 1$. In the second case, corona $c = 2^p = 4$ is colored by using the sequence $\{2, 0, 1\}$ obtained from the one of corona 2 by first applying a shifting operation and then a swapping one, hence obtaining $X = 2 = X'$, $Z = 1 = |Z' + 1|_3$ and $Y = 0$. We assume the claim as true for any $p - 1 \leq 2$ and we prove it for p . Corona $c = 2^p$ is colored by using the sequence $\{X, Y, Z\}$ obtained from the sequence $\{X', Y', Z'\}$ used in corona $c' = 2^{p-1}$ after applying $2^{p-1} - 1$ shifting operations and one swapping operation. Hence, $X = |Z' - (2^{p-1} - 1)|_3$, $Y = |Y' - (2^{p-1} - 1)|_3$ and $Z = |X' - (2^{p-1} - 1)|_3$. This leads to $X = |Z' - (2^{p-1} - 1)|_3 = |Z' - (2^{\lfloor \frac{p-1}{2} \rfloor + |p-1|_2} - 1)|_3 = |Z' - 4^{\lfloor \frac{p-1}{2} \rfloor} 2^{|p-1|_2} + 1|_3 = |Z' - 2^{|p-1|_2} + 1|_3$; $Y = |Y' - 2^{|p-1|_2} + 1|_3$; $Z = |X' - 2^{|p-1|_2} + 1|_3$. If $|p|_2 = 0$ then $X = |Z' - 1|_3$, $Y = |Y' - 1|_3$ and $Z = |X' - 1|_3$. If $|p|_2 = 1$ then $X = Z'$, $Y = Y'$ and $Z = X'$. This implies that Y is always different from X and Z , as it is obtained from Y' different from X' and Z' by applying the same rules.

By induction, the sequence $\{X', Y', Z'\}$ used in corona c' is obtained by applying the claim to the sequence $\{X'', Y'', Z''\}$ used in corona $c'' = 2^{p-2}$, i.e. $X' = |X'' - 1|_3$, $Z' = |Z'' + 1|_3$ and

Y' is the remaining available color. By the above calculations, if $|p|_2 = 0$, $X' = Z''$, $Y' = Y''$ and $Z' = X''$, and we obtain $X = |Z' - 1|_3 = |X'' - 1|_3$, $Y' = Y''$, $Z = |X' - 1|_3 = |Z'' - 1|_3 = |Z'' + 2|_3$ that is equivalent to apply first rule (b) and then rule (a) from $\{X'', Y'', Z''\}$.

If $|p|_2 = 1$, $X' = |Z'' - 1|_3$, $Y' = |Y'' - 1|_3$ and $Z' = |X'' - 1|_3$, and we obtain $X = Z' = |X'' - 1|_3$, $Y' = |Y'' - 1|_3$, $Z = X' = |Z'' - 1|_3 = |Z'' + 2|_3$ that is equivalent to apply first rule (a) and then rule (b) from $\{X'', Y'', Z''\}$. \square

In other words, Lemma 4 provides the tool for evaluating the coloring in a distributed way by each sensor in a constant number of steps. In fact, as shown by the next theorem, a sensor requires only calculations involving values c and s defining the cluster where it resides.

Theorem 1 *Let $\{X, Y, Z\}$ be the sequence of colors used to color corona 1, then $OPT3(c, s)$ can be evaluated within a constant number of steps independently of the other clusters.*

Proof. Starting from the sequence of colors³ used in corona 1, in order to guess the sequence of colors used at a generic corona c , it suffices to evaluate $p = \lfloor \log_2 c \rfloor$. Then, by Lemma 4, we can find the sequence of colors $\{X', Y', Z'\}$ used at corona $c' = 2^p$ by applying the following rules. Decrease X by $\lfloor \frac{p}{2} \rfloor|_3$, increase Z by $|p|_3$, and choose for Y the remaining available color. Finally, by applying $c - c'$ shifting operations, i.e., by decreasing each element of the sequence evaluated for c' by $|c - c'|_3$, we obtain the sequence for c . More formally:

$$\begin{aligned} X' &= X - \left\lfloor \frac{p}{2} \right\rfloor|_3 - |c - c'|_3 \\ Z' &= Z + |p|_3 - |c - c'|_3 \\ Y' &\neq X' \neq Z' \text{ and } Y' \in \{0, 1, 2\} \end{aligned}$$

Once the sequence of colors $\{X', Y', Z'\}$ used to color corona c is known, the corona will be colored in anti-clockwise order from sector 0. Precisely:

$$OPT3(c, s) = \begin{cases} X' & \text{if } |s|_3 = 0 \\ Y' & \text{if } |s|_3 = 1 \\ Z' & \text{if } |s|_3 = 2 \end{cases}$$

Thus obtaining that $OPT3(c, s)$ takes constant number of steps. \square

Figure 4 shows the correct coloring obtained for both the odd and the even coronas by applying the described $OPT3$ algorithm. The initial step is constituted by starting with the coloring of corona 1 with the sequences $\{0, 1, 2\}$ and $\{5, 4, 3\}$ for odd and even coronas, respectively.

It is interesting to notice that $OPT3$ can be easily extended to any graph G_ℓ , where $\ell = 3 \cdot 2^x$ for any $x \geq 1$.

Corollary 1 *For any positive integer x , let $\ell = 3 \cdot 2^x$. Then, G_ℓ can be colored with 6 colors by means of the same rules defined by Algorithm $OPT3(c, s)$.*

Proof. It is sufficient to notice that the coloring for G_ℓ with $\ell = 3 \cdot 2^x$ is almost the same than that obtained on G_3 starting from corona $c = 2^x$. The only difference resides in the number of coronas dividing two consecutive powers of 2 (for instance, if $x = 1$, G_6 has 12 clusters in corona 2 and 24 clusters in corona 4, while G_3 has 12 clusters in corona 4, and 24 clusters in corona 8). However, this does not affect the validity of the proof of Lemma 3, hence ensuring the possibility to obtain a feasible distance-two coloring for the general case of $\ell = 3 \cdot 2^x$. \square

³Note that the sequence of colors used for corona 1 may refer, without distinction, to the set of three colors used for odd coronas or even coronas.




Figure 4: The coloring obtained by applying algorithm *OPT3* on the virtual infrastructure with three sectors at corona 1, and considering the sequences $\{0, 1, 2\}$ and $\{5, 4, 3\}$ for corona 1 for coloring the odd and the even coronas, respectively.

3.2 Optimal Coloring for G_4

Lemma 5 *Any distance-two coloring for the first two coronas of G_4 requires 6 colors. Moreover, in order to perform the distance-two coloring for the first two coronas of G_4 by means of 6 colors, each color must be used exactly twice.*

Proof. Consider corona 1, it requires 4 different colors in order to accomplish a distance-two coloring. Without loss of generality, we can assign color *RED*⁴ to cluster $(1, 0)$, *BLUE* to $(1, 1)$, *GREEN* to $(1, 2)$, and *YELLOW* to cluster $(1, 3)$. Clusters $(2, 0)$ and $(2, 1)$ can be colored either with two new colors or with the *GREEN* and a new color. No other possibilities are allowed.

In the former case, assume that colors *PINK* and *BROWN* are used for clusters $(2, 0)$ and $(2, 1)$, respectively. Then, clusters $(2, 2)$ and $(2, 3)$ must take colors *YELLOW* and *PINK*, respectively, unless more than 6 colors are used. Similarly, clusters $(2, 6)$ and $(2, 7)$ must take colors *BROWN* and *BLUE*, respectively. It follows that clusters $(2, 4)$ and $(2, 5)$ require two new colors to accomplish the distance-two constraint.

In the latter case, without loss of generality, clusters $(2, 0)$ and $(2, 1)$ take colors *GREEN* and *PINK*, respectively. It follows that clusters $(2, 6)$ and $(2, 7)$ require the *BLUE* color and a new one, say *BROWN*. Hence, six colors are necessary. In order to show that six colors are enough, we can complete the above coloring by assigning colors *RED* and *PINK* to clusters $(2, 4)$ and $(2, 5)$, and colors *YELLOW* and *BROWN* to clusters $(2, 2)$ and $(2, 3)$, hence necessarily using each color twice. \square

Lemma 6 *Assuming that 6 colors are enough for a distance-two coloring of G_4 , then any color used in corona 1 must be used at least 5 times in the first 4 coronas of G_4 .*

Proof. Let *RED* be the color used for cluster $(1, 0)$ in G_4 . Without loss of generality, by Lemma 5, such a color is also used in $(2, 4)$ (the other possibility would be $(2, 5)$). Now, consider all the sets of six nodes defined by Property 1 in G_4 . If six colors are enough for a distance-two coloring of G_4 , then we show that in order to satisfy the property, color *RED* must be used 5 times in the first 4 coronas. The set, $S_{(2,4)}$ is the only one already containing the *RED* color. By

⁴In the proofs, we call explicitly colors by name, i.e. *GREEN*, *RED*, *BLUE*, *YELLOW*, *PINK* and *BROWN* for clarity.

the distance-two constraint, the set $S_{(2,5)}$, must have the *RED* color at cluster (3, 6) or (4, 10) or (4, 11). The set $S_{(2,6)}$ must have the *RED* color at cluster (3, 6) or (4, 12) or (4, 13). Finally, the set $S_{(2,7)}$ must have the *RED* color at cluster (3, 6) or (4, 14) or (4, 15). In order to satisfy all those three sets, the only solution is to assign color *RED* to cluster (3, 6). In fact, assuming that the last set gets the *RED* color at either (4, 14) or (4, 15), then: In the first case, there is no cluster in the second set that can be colored by *RED*. In the second case, the only cluster from the second set that can be colored by *RED* is (4, 12) but then there is no cluster from the first set that can be colored by *RED*. This implies that only cluster (3, 6) from those sets can be colored by *RED* since it is shared by all such sets. There remain other four sets that must accomplish Property 1. They are, i) $S_{(2,0)}$ ii) $S_{(2,1)}$ iii) $S_{(2,2)}$ and iv) $S_{(2,3)}$. The cluster that must be colored by *RED* from i) must be chosen among (3, 0), (4, 0) or (4, 1). From ii) we have (3, 1), (3, 2), (4, 2) or (4, 3), from iii) (3, 2), (3, 1), (4, 5) or (4, 6), and from iv) (3, 2), (4, 6) or (4, 7). If either (4, 0) or (4, 1) is chosen from i) to be colored in *RED*, then only cluster (3, 2) shared by all the remaining sets can be colored by *RED*. Symmetrically, if cluster 3, 0 is chosen from i) than it remains only to chose one cluster from iv) between (4, 6) and (4, 7). In total, the *RED* color must be used 5 times in the first 4 coronas of G_4 , and this clearly holds for any other color used in corona 1. \square

Theorem 2 *Any distance-two coloring for G_4 requires more than 6 colors.*

Proof. Assume by contradiction that six colors are enough for a distance-two coloring of G_4 . Consider the first 4 coronas of G_4 composed of 36 nodes. From Lemma 6, we have that each color used in corona 1 must be used exactly 5 times in the first 4 coronas of G_4 . It follows that only 20 nodes of the first 4 coronas are colored by the four colors used in corona 1. Then, one of the other two available colors must be used at least 8 times for coloring the remaining 16 nodes. In particular, since from Lemma 5 such a color has been used only two times in the first two coronas of G_4 , it must be used at least other six times in coronas 3 and 4. By construction of G_4 and from the distance-two constraint, a color can be used at most five times in corona 4 without allowing any occurrence in corona 3, or one time in corona 3 and other four times in corona 4. In total, the same color can be used at most five times in coronas 3 and 4, hence contradicting the hypothesis. \square

We are now ready to present a distance-two coloring algorithm for G_4 that makes use of exactly 7 colors, hence, from Theorem 2 it is optimal. The new algorithm, called *OPT4*, cannot exploit the property of using two disjoint subsets of colors for the even and the odd coronas since there is no way to use only 3 colors on one corona. However, we show that by applying two operations similar to the aforementioned Shifting and Swapping, we can obtain a feasible distance-two coloring by means of 7 colors. Actually, we still make use of an operation similar to the Shifting, while we introduce a new one in place of the Swapping. Let $c > 2$ and recalling that h_c is the number of clusters in corona c , the new operations are:

- *Rotating*: Given a cluster (c, s) , if $h_c = h_{c-2}$, then (c, s) is colored with the same color of cluster $(c - 2, |s - 1|_{h_{c-2}})$
- *Doubling*: Given a cluster (c, s) , if $h_c = 2h_{c-2}$, then (c, s) is colored with the same color of cluster $(c - 2, \lfloor \frac{s}{2} \rfloor - 1)_{h_{c-2}}$ if s is even, and $(c - 2, \lfloor \frac{s}{2} \rfloor + 1)_{h_{c-2}}$ if s is odd.

We now show by induction that the defined operations lead to a feasible distance-two coloring for G_4 if the first 4 coronas are suitably initialized. The obtained coloring is optimal and it makes use of only 7 colors. Moreover, it verifies the further property:

Property 2 *Given two coronas $c \geq 4$ and $c' = c + 1$, with the same number of clusters, the colors associated with any pair of clusters (c, s) and $(c', |s + 2|_{h_c})$ or (c', s) and $(c, |s + 2|_{h_c})$ are always different.*




Figure 5: On the left, the coloring of the first 4 coronas of G_4 required for the proof of Theorem 3. On the right, the coloring of the first 4 coronas of G_5 in order to use the same coloring algorithm devised for G_4 .

Theorem 3 *Algorithm OPT4 assigns colors to clusters satisfying the distance-two constraint, it is optimal and satisfies Property 2.*

Proof. We prove the theorem by induction on the number $c > 4$ of coronas. The first 4 coronas are colored as shown in Figure 5. It is easy to check that the coloring of corona 5 obtained by applying a doubling operation is a feasible distance-two coloring that satisfies Property 2.

We then assume by induction that G_4 can be colored up to any given corona $c > 4$ by starting from the 4 coronas shown in Figure 5 and by applying *OPT4*. We show that we can extend the coloring to corona $c + 1$ by means of the same algorithm while maintaining all the required properties. We have to consider three different cases: (i) $c + 1$ contains the same number of clusters than $c - 1$; (ii) $c + 1$ contains a number of clusters doubled with respect to $c - 1$, and $c + 1$ is even; (iii) $c + 1$ contains a number of clusters doubled with respect to $c - 1$, and $c + 1$ is odd.

In case (i), the rotating operation has been applied and hence, all the colors assigned to clusters of corona $c + 1$ satisfy the distance-two constraint since, by induction, the same sequence of colors was feasible at corona $c - 1$. We then need to show that any cluster $(c + 1, s)$ gets a color different than that of its neighbors $(c, |s - 1|_{h_c})$, (c, s) , $(c, |s + 1|_{h_c})$, and $(c - 1, s)$ at distance less than or equal to 2 in coronas c and $c - 1$. By the rotating operation, $(c + 1, s)$ gets the same color of cluster $(c - 1, |s - 1|_{h_c})$. By induction, such a color is different from the ones assigned to clusters $(c - 1, s)$, $(c, |s - 1|_{h_c})$, and (c, s) since those clusters are also at distance less than or equal to 2 from $(c - 1, |s - 1|_{h_c})$. Moreover, by Property 2, the color assigned to $(c - 1, |s - 1|_{h_c})$ also differs from the one assigned to $(c, |s + 1|_{h_c})$. Thus the color assigned to $(c + 1, s)$ differs from those of $(c, |s - 1|_{h_c})$, (c, s) , $(c, |s + 1|_{h_c})$, and $(c - 1, s)$. To conclude the case, we need to show that the applied operation also satisfies Property 2. Clearly, the color assigned to $(c, |s - 2|_{h_c})$ is different than that of $(c + 1, s)$, because cluster $(c, |s - 2|_{h_c})$ is at distance 2 from $(c - 1, |s - 1|_{h_c})$. Thus, it remains to show that the color assigned to cluster $(c, |s + 2|_{h_c})$ is different from that of $(c + 1, s)$. To this aim, we need to distinguish two cases: (a) $c - 1$ has as many clusters as corona $c - 2$; (b) the number of clusters in corona $c - 1$ is doubled with respect to corona $(c - 2)$ (i.e., $c - 1$ is a power of two).

Case (a): Clusters $(c + 1, s)$ and $(c, |s + 2|_{h_c})$ get their colors from $(c - 1, |s - 1|_{h_c})$ and $(c - 2, |s + 1|_{h_c})$, respectively, that are different by induction on Property 2.

Case (b): if s is odd, cluster $(c + 1, s)$ gets its color from $(c - 3, \lfloor \frac{s-1}{2} - 1 \rfloor_{h_{c-2}})$ by applying first a doubling operation and then a rotation; while cluster $(c, |s + 2|_{h_c})$ gets the same color as cluster $(c - 4, \lfloor \frac{s-1}{2} + 2 \rfloor_{h_{c-2}})$ by the same operations. Since by induction on Property 2, clusters $(c - 3, \lfloor \frac{s-1}{2} - 1 \rfloor_{h_{c-2}})$ and $(c - 4, \lfloor \frac{s-1}{2} + 2 \rfloor_{h_{c-2}})$ have associated different colors, the same holds for clusters $(c + 1, s)$ and $(c, |s + 2|_{h_c})$. If s is even, cluster $(c + 1, s)$ gets its color from $(c - 3, \lfloor \frac{s}{2} \rfloor_{h_{c-2}})$

while cluster $(c, |s + 2|_{h_c})$ gets its color from $(c - 2, |\frac{s}{2}|_{h_{c-2}})$. By induction, $(c - 3, |\frac{s}{2}|_{h_{c-2}})$ and $(c - 2, |\frac{s}{2}|_{h_{c-2}})$ are differently colored because they are adjacent.

In case (ii), the doubling operation has been applied. Coronas $c - 1$ and c have $h_c = h_{c-1}$ clusters, while corona $c + 1$ has $2h_c$ clusters.

Without loss of generality, we assume s to be even. Observe that clusters $(c + 1, s)$ and $(c - 1, |\frac{s}{2} - 1|_{h_c})$ get the same color. Regarding clusters $(c + 1, |s - 1|_{2h_c})$ and $(c + 1, |s - 2|_{2h_c})$, they get their colors from $(c - 1, |\frac{s}{2}|_{h_c})$ and $(c - 1, |\frac{s-2}{2} - 1|_{h_c})$, respectively. Since such clusters are at distance one from cluster $(c - 1, |\frac{s}{2} - 1|_{h_c})$, they differ in color from cluster $(c + 1, s)$.

Regarding the neighbors $(c, |\frac{s}{2} - 1|_{h_c})$, (c, s) , $(c - 1, s)$ of cluster $(c + 1, s)$, they are at distance not greater than 2 from cluster $(c - 1, |\frac{s}{2} - 1|_{h_c})$ and thus they must be colored differently. Moreover, by Property 2, clusters $(c, |\frac{s}{2} + 1|_{h_c})$ and $(c - 1, |\frac{s}{2} - 1|_{h_c})$ have different colors. Thus, cluster $(c + 1, s)$ and all its neighbors at distance less than or equal to 2 in corona c or $c - 1$ get different colors. The case of odd s is symmetric.

Note that Property 2 does not apply here since c and $c + 1$ do not have the same number of clusters.

In case (iii), let corona $c - 1$ have $h_{c-1} = h_c/2$ clusters, while coronas c and $c + 1$ have $h_c = h_{c+1}$ clusters. The rotating operation has been applied from corona c to corona $c + 1$ and hence, all the colors assigned to clusters of corona $c + 1$ satisfy the distance-two constraint since, by induction, the same sequence of colors was feasible at corona $c - 1$. Regarding the clusters at distance not greater than 2 from $(c + 1, s)$ in coronas $c - 1$ and c , observe that the doubling operation has been applied. Assume s to be even. Cluster $(c + 1, s)$ gets the same color than $(c - 1, |\frac{s}{2} - 1|_{h_{c-1}})$. The neighbors of cluster $(c + 1, s)$ at distance less than or equal to 2 belonging to the preceding coronas, (c, s) , $(c, |s - 1|_{h_c})$, $(c, |s + 1|_{h_c})$ and $(c - 1, \frac{s}{2})$, are also at distance less than or equal to 2 from $(c - 1, |\frac{s}{2} - 1|_{h_{c-1}})$, hence they are colored, by induction, differently from $(c + 1, s)$. We also need to prove that Property 2 holds for $(c + 1, s)$ and the two clusters $(c, |s - 2|_{h_c})$ and $(c, |s + 2|_{h_c})$. Since $(c, |s - 2|_{h_c})$ is at distance 1 from $(c - 1, |\frac{s}{2} - 1|_{h_{c-1}})$, it gets a different color than $(c + 1, s)$. For the color of cluster $(c, |s + 2|_{h_c})$, we know by induction that it comes from a doubling operation applied to cluster $(c - 2, |\frac{s}{2}|_{h_{c-1}})$ that is at distance 2 from $(c - 1, |\frac{s}{2} - 1|_{h_{c-1}})$, and by induction the claim holds. The case of s odd is symmetric. \square

The above theorem provides a useful method for obtaining feasible distance-two colorings that make use of 7 colors for a generic graph G_ℓ . In fact, it suffices to provide a suitable coloring of the first 4 coronas of G_ℓ in such a way that by applying the first doubling operation for coloring corona 5, the distance-two constraint and Property 2 are verified. Figure 5, for instance, shows a suitable coloring for the first 4 coronas of G_5 .

It is worth to point out that, once the suitable coloring for the first 4 coronas of a G_ℓ is provided, the algorithm described above color G_ℓ in time linear in the number of its nodes. Moreover, note that each single cluster (c, s) can be colored in time $O(\log_2 c)$ once observed that: (i) each cluster derives its color from the color assigned to one of the clusters in the first 4 coronas (ii) if the coronas $c - j, c - j + 1, \dots, c - 1, c$ have the same number of clusters and j is even, the color of cluster (c, s) is the same as the color of cluster $(c - j, |s - \frac{j}{2}|_{h_{c-j}})$.

3.3 Optimal Coloring for G_5

As outlined in the previous section, by providing a suitable coloring for the first 4 coronas of G_5 (see Figure 5, on the right) we can apply the same *rotating* and *doubling* operations of *OPT4* to obtain a distance-two coloring for G_5 by means of 7 colors. We now show that such an algorithm is also optimal. First, any distance-two coloring of corona 1 of G_5 requires exactly 5 colors. Then:

Lemma 7 *If six colors are enough for a distance-two coloring of G_5 , any color used in corona 1 of G_5 can be used at most 7 times in the first 4 coronas of G_5 .*

Proof. Let *RED* be the color used for cluster $(1, x)$ in G_5 , with $0 \leq x \leq 4$. By the distance-two constraint, color *RED* cannot be reused at the roots of the 6 sets $\{S_{(2,|2x-2|_{10})}, S_{(2,|2x-1|_{10})}, S_{(2,|2x|_{10})}, S_{(2,|2x+1|_{10})}, S_{(2,|2x+2|_{10})}, S_{(2,|2x+3|_{10})}\}$. However, since each set must have exactly one

occurrence of color *RED* if six colors are enough, color *RED* must be necessarily reused in some clusters of coronas 3 and 4 of the sets $\{S_{(2,|2x-2|_{10})}, S_{(2,|2x-1|_{10})}, \dots, S_{(2,|2x+3|_{10})}\}$. Precisely, color *RED* must color 2 clusters in corona 3 of $\{S_{(2,|2x-2|_{10})}, \dots, S_{(2,|2x+3|_{10})}\}$. Indeed, if color *RED* is never used for the clusters in corona 3 of such sets, it can be used at most 4 times in the clusters of corona 4, and at least 2 sets among $\{S_{(2,|2x-2|_{10})}, \dots, S_{(2,|2x+3|_{10})}\}$ will have no occurrence of color *RED*, and cannot be completely colored. Moreover, if color *RED* is used only once in corona 3, say to color cluster $(3, x)$, color *RED* already occurs in the 3 sets $\{S_{(2,|2x-1|_{10})}, S_{(2,2x)}, S_{(2,2x+1)}\}$. Then, to cover the remaining 3 sets $\{S_{(2,|2x+2|_{10})}, S_{(2,|2x+3|_{10})}, S_{(2,|2x+4|_{10})}\}$, 3 clusters in corona 4 should be colored *RED*, but this is impossible. In conclusion, to guarantee one occurrence of color *RED* in each set $\{S_{(2,|2x-2|_{10})}, S_{(2,|2x-1|_{10})}, \dots, S_{(2,|2x+3|_{10})}\}$, we must use color *RED* 3 times: once in corona 1, and twice in corona 3.

To complete the coloring of the first 4 coronas of G_5 , it remains to color the 4 sets $\{S_{(2,|2x+4|_{10})}, S_{(2,|2x+5|_{10})}, \dots, S_{(2,|2x-3|_{10})}\}$. Since color *RED* must be used exactly once in each set, color *RED* can be overall used at most 7 times. \square

We can now state that at least 7 colors are needed for G_5 , thus proving that the proposed coloring is optimal.

Theorem 4 *Any distance-two coloring for G_5 requires more than 6 colors.*

Proof. Assume by contradiction that 6 colors are enough for a distance-two coloring of G_5 . By Lemma 7, the first 5 colors used in corona 1 can be used at most 7 times. Thus, at most 35 clusters in the first 4 coronas of G_5 can be colored with the colors used in corona 1. Since overall there are 45 clusters to be colored in the first 4 coronas of G_5 , the remaining color, say color *BLUE*, must be used at least 10 times in coronas 2, 3 and 4 of G_5 . This can be achieved only assigning color *BLUE* to exactly one cluster in coronas 2 or 4 of each set rooted at the clusters of corona 2. However to satisfy the distance-two constraint, color *BLUE* can be used at most $\lfloor \frac{20}{3} \rfloor = 6$ and $\lfloor \frac{10}{3} \rfloor = 3$ times in corona 4 and 2, respectively. Therefore, color *BLUE* can be used at most 9 times, and no coloring of G_5 with 6 colors is possible. \square

4 Coloring for any G_ℓ

So far, we have shown how to optimally color G_3, G_4, G_5, G_6 and some other cases. Now, we show how to color any G_ℓ , with $\ell \geq 7$, using at most 9 colors. We start proposing a coloring that works for any ℓ multiple of 4 that requires 8 colors. Then, we extend it for coloring any G_ℓ just using one extra color. Since, by Lemma 2, at least 6 colors are required, our coloring uses at most 3 extra colors.

4.1 Coloring for G_ℓ , with $|\ell|_4 = 0$

The coloring algorithm, called *Col4*, is extremely simple. Each sensor copies the color of the cluster where it resides by using the matrix $M4$ depicted in Table 2. More precisely, *Col4* assigns to cluster (c, s) , $0 < c \leq k$ and $0 \leq s < h_c$, the entry of $M4$ specified as follows:

$$Col4(c, s) = \begin{cases} M4[0, |s|_4] & \text{if } c = 1 \text{ and } 0 \leq s \leq h_c \\ M4[|c-2|_4 + 1, |s|_4] & \text{if } c \geq 2 \text{ and } 0 \leq s \leq h_c \end{cases} \quad (1)$$

Note that, corona 1 is colored with row 0 of $M4$, while all the remaining coronas of G_4 are colored by using the rows 1-4 of $M4$, cyclically.

We have to show that such a coloring satisfies the imposed distance-two constraint. First of all we point out that two clusters belonging to two different adjacent coronas necessarily acquire two different colors. In fact, $M4$ has two different subsets of colors used for even and odd rows, respectively. Another simple observation is that if two clusters of the same color belong to the same corona, then they are at distance at least four. The next lemma shows the remaining cases that must be addressed to prove the correctness of the coloring (see Figure 3 for a visualization).

	0	1	2	3
0	1	2	3	4
1	5	6	7	8
2	2	4	1	3
3	6	8	5	7
4	4	3	2	1

Table 2: Matrix $M4$ used by Algorithm $Col4$.




Figure 6: A visualization of a portion of the coloring obtained by means of Algorithm $ColG$, relevant to the proof of Theorem 5. The dashed boxes emphasize the clusters colored by Phases \mathcal{A} , \mathcal{B} , and \mathcal{D} of $ColG$.

Lemma 8 Consider two clusters (c, s) and (c', s') . If $c = c' + 2$ and (a) $s = s'$, or (b) $s = 2s'$ or (c) $s = 2s' + 1$, then $Col4(c, s) \neq Col4(c', s')$.

Proof. Case (a) can be simply derived by observing Table 2, since in each column no colors are repeated. For the other cases (b) and (c), that occur when the number of clusters in c doubles that in c' , we distinguish two possibilities: (i) $c = 2^p + 1$, and (ii) $c = 2^p$.

Case (i). When $c = 2^p + 1$ and $p \geq 2$, according to Equation 1, cluster $(c, s) = (2^p + 1, s)$ copies its color from $M4[2^p - 1|_4 + 1 = 4, |s|_4]$, while cluster $(c' = 2^p - 1, s')$ copies its color from $M4[2^p - 3|_4 + 1 = 2, |s'|_4]$. Thus, to check that the colors assigned to the clusters (c, s) and (c', s') are different, it is sufficient to verify that $M4[2, i] \neq M4[4, |2i|_4]$ and $M4[2, i] \neq M4[4, |2i + 1|_4]$, for $0 \leq i \leq 3$.

When $c = 3$, it is sufficient to verify that $M4[0, i] \neq M4[2, |2i|_4]$ and $M4[0, i] \neq M4[2, |2i + 1|_4]$, for $0 \leq i \leq 3$.

Case (ii). When $c = 2^p$, conflicts may arise only if $p \geq 2$. Again, according to Equation 1, cluster $(c, s) = (2^p, s)$ copies its color from $M4[2^p - 2|_4 + 1 = 3, |s|_4]$, while cluster (c', s') copies its color from $M4[2^p - 4|_4 + 1 = 1, |s'|_4]$.

Thus, the colors assigned to the clusters (c, s) and (c', s') are different because $M4[1, i] \neq M4[3, |2i|_4]$ and $M4[1, i] \neq M4[3, |2i + 1|_4]$, for $0 \leq i \leq 3$. \square

As a consequence:

Corollary 2 Algorithm $Col4$ assigns colors to clusters satisfying the distance-two constraint.

Similarly to Corollary 1, the following result holds.

Corollary 3 For any positive integer x , let $\ell = 4x$. Then, G_ℓ can be colored with 8 colors by means of the same rules defined by Algorithm $Col4(c, s)$.

Note that, Algorithm $Col4(c, s)$ colors each cluster in a constant number of steps and it makes use of 8 colors.

Algorithm 1 Algorithm *ColG* for the coloring of G_ℓ with $\ell > 7$ and k coronas.

```

1: procedure COLG( $\ell$ )
2:    $r \leftarrow |\ell|_4$ 
3:   if  $r > 0$  then ▷ Phase A: lines 3–16
4:      $C(1, 0) \leftarrow M4[0, 0]$ 
5:      $C(1, 1) \leftarrow M4[0, 1]$ 
6:     for  $k \leftarrow 2$  to 3 do
7:       for  $d \leftarrow 0$  to 3 do
8:          $C(k, d) \leftarrow M4[k - 1, d]$ 
9:       end for
10:    end for
11:    for  $s \leftarrow 0$  to 1 do
12:      for  $d \leftarrow 0$  to 3 do
13:         $C(4, 4s + d) \leftarrow M4[3, d]$ 
14:      end for
15:    end for
16:  end if
17:  for  $j \leftarrow 1$  to  $r - 1$  do ▷ Phase B: lines 17–28
18:    for  $s \leftarrow 3j$  to  $3j + 1$  do
19:       $C(1, s) \leftarrow M4[0, |s - j|_4]$ 
20:       $C(2, 2s) \leftarrow M4[1, |2s - 2j|_4]$ 
21:       $C(2, 2s + 1) \leftarrow M4[1, |2s - 2j + 1|_4]$ 
22:       $C(3, 2s) \leftarrow M4[2, |2s - 2j|_4]$ 
23:       $C(3, 2s + 1) \leftarrow M4[2, |2s - 2j + 1|_4]$ 
24:      for  $d \leftarrow 0$  to 3 do
25:         $C(4, 4s + d) \leftarrow M4[3, d]$ 
26:      end for
27:    end for
28:  end for
29:  for  $s \leftarrow 3r$  to  $\ell - 1$  do ▷ Phase C: lines 29–38
30:     $C(1, s) \leftarrow M4[0, |s - r|_4]$ 
31:  end for
32:  for  $s \leftarrow 6r$  to  $2\ell - 1$  do
33:     $C(2, s) \leftarrow M4[1, |s - 2r|_4]$ 
34:     $C(3, s) \leftarrow M4[2, |s - 2r|_4]$ 
35:  end for
36:  for  $s \leftarrow 12r$  to  $4\ell - 1$  do
37:     $C(4, s) \leftarrow M4[3, |s|_4]$ 
38:  end for
39:  for  $j \leftarrow 1$  to  $r$  do ▷ Phase D: lines 39–50
40:     $s \leftarrow 3j - 1$ 
41:     $C(1, s) \leftarrow 9$ 
42:     $C(2, 2s) \leftarrow C(1, s + 2)$ 
43:     $C(2, 2s + 1) \leftarrow C(1, s - 2)$ 
44:     $C(3, 2s) \leftarrow C(2, 2s - 3)$ 
45:     $C(3, 2s + 1) \leftarrow C(2, 2s - 2)$ 
46:     $C(4, 4s) \leftarrow 9$ 
47:     $C(4, 4s + 1) \leftarrow C(4, 4s - 3)$ 
48:     $C(4, 4s + 2) \leftarrow C(4, 4s - 2)$ 
49:     $C(4, 4s + 3) \leftarrow 9$ 
50:  end for
51:  for  $c \leftarrow 5$  to  $k$  do ▷ Phase E: lines 51–55
52:    for  $s \leftarrow 0$  to  $h_c$  do
53:       $C(c, s) \leftarrow M4[|c - 2|_4 + 1, |s|_4]$ 
54:    end for
55:  end for
56: end procedure

```

4.2 Coloring for G_ℓ , with $\ell \geq 7$

We now address the general case of a graph G_ℓ . First we provide a coloring algorithm $ColG$ for the case of $\ell > 7$, then we tackle the particular case of G_7 . In all cases the proposed solution makes use of at most 9 colors and exploits the matrix $M4$. From now on let $C(c, s)$ denote the color assigned to cluster (c, s) .

The algorithm $ColG$ properly generalizes $Col4$ and is applicable to color G_ℓ for each $\ell > 7$. It is composed of five phases, namely, \mathcal{A} , \mathcal{B} , \mathcal{C} , \mathcal{D} , and \mathcal{E} , as emphasized by the comments in the pseudo-code. Each of these phases colors a different portion of G_ℓ . Precisely, Phases \mathcal{A} , \mathcal{B} , \mathcal{C} , \mathcal{D} color the first 4 coronas of G_ℓ , while Phase \mathcal{E} all the remaining coronas c , with $5 \leq c \leq k$. Note that, depending on the value of $r = \lfloor \ell \rfloor_4$, some phases might be skipped.

If $r = 0$ only Phases \mathcal{C} and \mathcal{E} are executed to color G_ℓ . Precisely, when $r = 0$, the algorithm $ColG$ acts exactly as $Col4$ does. Indeed, as one can easily check in Algorithm 1, since $r = 0$, cluster (c, s) always copies its color from $M4[\lfloor c - 2 \rfloor_4 + 1, \lfloor s \rfloor_4]$.

In order to describe the algorithm when $r > 0$, let us introduce some notations. Let $\sigma_{(1,s)}$ denote the subgraph of 9 clusters of G_ℓ , rooted at cluster $(1, s)$ with $0 \leq s \leq \ell - 1$ and extended up to corona 4. Namely, $\sigma_{(1,s)} = \{(1, s), (2, \lfloor 2s \rfloor_{2\ell}), (2, \lfloor 2s + 1 \rfloor_{2\ell}), (3, \lfloor 2s \rfloor_{2\ell}), (3, \lfloor 2s + 1 \rfloor_{2\ell}), (4, \lfloor 4s \rfloor_{4\ell}), (4, \lfloor 4s + 1 \rfloor_{4\ell}), (4, \lfloor 4s + 2 \rfloor_{4\ell}), (4, \lfloor 4s + 3 \rfloor_{4\ell})\}$. When $r > 0$, the subgraphs $\sigma_{(1,3j-1)}$ with $1 \leq j \leq r$ are colored in Phase \mathcal{D} using up to color 9. The remaining $\ell - r$ subgraphs that form a graph $G_{\ell'}$, with $\ell' = \ell - r$ and $\lfloor \ell' \rfloor_4 = 0$, can be colored according to $Col4$. Precisely, we act as the subgraphs $\sigma_{(1,3j-1)}$, with $1 \leq j \leq r$, were logically removed from G_ℓ , and thus we apply $Col4$ to the so remaining $G_{\ell'}$. This is done in Phases \mathcal{A} , \mathcal{B} , and \mathcal{C} that rely on the matrix $M4$. These phases reproduce the coloring generated by $Col4$ by simply shifting the coloring to the left of as many positions as the number of clusters logically removed along that corona. In more detail, Phase \mathcal{A} colors $\sigma_{(1,0)}$ and $\sigma_{(1,1)}$, Phase \mathcal{B} colors the subgraphs $\sigma_{(1,3j)}, \sigma_{(1,3(j+1))}$, with $1 \leq j \leq r - 1$ as they belonged to $G_{\ell'}$, that is as they were shifted of j subgraphs on their left. Similarly, Phase \mathcal{C} colors all the subgraphs $\sigma_{(1,3r)}, \dots, \sigma_{(1,\ell-1)}$ as they belonged to $G_{\ell'}$, that is as they were shifted on the left of r subgraphs.

Finally, since the coronas $5 \leq c \leq k$ in G_ℓ have a number of clusters multiple of 4, $Col4$ is directly applied.

In Figure 6, we depict with the frameboxes \mathcal{A} , \mathcal{B} , and \mathcal{D} the subgraphs colored, respectively, by the Phases \mathcal{A} , \mathcal{B} , and \mathcal{D} in the initial portion of an arbitrary G_ℓ , with $r \geq 2$. We can state the following result:

Theorem 5 *Algorithm $ColG$ provides a distance-two coloring for any graph G_ℓ , $\ell > 7$, by means of at most 9 colors.*

Proof. The above description of the algorithm $ColG$ emphasizes that Phases \mathcal{A} , \mathcal{B} , \mathcal{C} , and \mathcal{E} proceed by mimicking the behavior of $Col4$ on a graph $G_{\ell'}$, $\ell' = \ell - r$, where the subgraphs $\sigma_{(1,3j-1)}$, $1 \leq j \leq r$, have been logically removed. (This can also be observed by considering the situation visualized in Figure 6.) Hence, by Corollary 2, the distance-two constraint is satisfied by any pair of clusters colored in Phases \mathcal{A} , \mathcal{B} , \mathcal{C} , and \mathcal{E} . It remains to show that Phase \mathcal{D} preserves the constraint.

First of all, observe that Phase \mathcal{D} colors r subgraphs σ that occur in G_ℓ at distance greater than 2, because $\ell > 7$. Consequently, in verifying the distance-two constraint for color 9, it suffices to consider each subgraph $\sigma_{(1,3j-1)}$, $1 \leq j \leq r$. As one can easily check in Phase \mathcal{D} of Algorithm 1, any two clusters colored 9 are at distance greater than 2. Moreover, any two clusters at distance less than 2 in σ copy their colors from two clusters colored differently in $G_{\ell'}$ by Algorithm $Col4$. Thus, if the colors in $\sigma_{(1,3j-1)}$, $1 \leq j \leq r$, violate the distance-two constraint, then the same would happen for some clusters in $G_{\ell'}$. Such a violation would imply that the Phases \mathcal{A} , \mathcal{B} , and \mathcal{C} , and consequently the algorithm $Col4$, violate the distance-two constraint. But this would contradict Corollary 2.

For example, let us focus on the first group $\sigma_{(1,2)}$, colored by Phase \mathcal{D} , i.e. the leftmost one in Figure 6. As regards the clusters $(2, 4)$ and $(2, 5)$, their colors are the same than those of clusters

(1, 0) and (1, 4), respectively, that are copied from $M4[1, 0]$ and $M4[1, 3]$, respectively. Thus, it holds $C(1, 0) \neq C(1, 4)$. A similar argument can be formulated for the clusters (3, 4), (3, 5), (4, 9), and (4, 10), in order to show that all six clusters get different colors and do not violate the distance-two constraint. \square

Algorithm 1 does not work when $\ell = 7$ because there are not $|7|_4 = 3$ clusters in corona 1 at reciprocal distance 2. However, the following lemma states the colorability of G_7 with 9 colors.

Lemma 9 *There exists a coloring of the graph G_7 with 9 colors and satisfying the distance-two constraint.*

Proof. We proceed by providing an explicit coloring of G_7 . This is obtained by exploiting the matrix $M4$ to assign one among 8 given colors to each of the clusters of G_7 , except three of them, that will get the extra color 9.

The color for a cluster (c, s) is determined as follows:

- (i) if $c \geq 5$, then (c, s) gets the color $M4[|c - 2|_4 + 1, |s|_4]$;
- (ii) if $c < 5$ and $0 \leq s < 2^{\lfloor \log_2 c \rfloor + 1}$, then (c, s) gets the color $M4[|c - 2|_4 + 1, |s|_4]$;
- (iii) if $c < 5$ and $3 \cdot 2^{\lfloor \log_2 c \rfloor} \leq s$, then (c, s) gets the color $M4[|c - 2|_4 + 1, |s + 2^{\lfloor \log_2 c \rfloor}|_4]$;
- (iv) the clusters (1, 2), (4, 8), and (4, 11) get the color 9;
- (v) the clusters (2, 4), (2, 5), (3, 4), (3, 5), (4, 9), and (4, 10), get the colors 3, 4, 6, 7, 8, and 5, respectively.

The fact that such a coloring satisfies the distance-two constraint can be easily verified by observing that the cases (i)–(iii) mimic the coloring produced by *Col4*. Then, the proof is obtained by proceeding in analogy to what was done in proving Theorem 5. Similarly, the colors assigned in case (v) cannot violate the distance-two constraint, otherwise the same violation would be present in clusters colored by mimicking *Col4*. \square

From all the results of the section, the following corollary establishes an upper bound to the number of colors needed to any G_ℓ .

Corollary 4 *For any integer $\ell > 2$, G_ℓ can be colored with at most 9 colors, satisfying the distance-two constraint.*

Once the suitable coloring has been performed among sensors, it is used to schedule communications. As mentioned in Section 3, different colors specify different communication frequency channels. This implies that adjacent clusters can perform in parallel their communications without causing collisions. However, before showing how the routing of sensory data can be performed over the virtual infrastructure, we provide a further step in the set-up of the network by electing inside each cluster one leader for each type (*time-zone*). In this way, we avoid redundant communications among sensors belonging to the same cluster (hence saving energy) while we ensure at least one active sensor at any time. Actually, we could schedule the repetition of the leader election procedure in order to rotate among sensors, hence prolonging the network lifespan.

5 Leader election and routing

In this section, we describe how the routing and the leader election can be performed in the sensor network without collisions by means of the coloring algorithms presented in the previous section.

Our routing algorithm requires that, in any cluster, there is a sensor ready to forward the message going toward the sink at any time-slot t . Such a sensor will be the leader of the sensors that wake up at time t . From now on, we assume that, at any time in any cluster, there is at least one leader awake and ready to forward the message. Specifically, during the routing process, we assume that sensors transmit during the second time-slot of their awake period, while they are listening during their first one. A message that originates at time t in cluster (c, s) , will be

transmitted by the leader of time-zone t in cluster c at time $|t + 1|_L$. Such a message will be then received and handled by the awake leader of time-zone $|t + 1|_L$ in the cluster destination that receives the message at time $|t + 1|_L$ and forward it toward the sink at time $|t + 2|_L$. Note that, the destination cluster is $(c - 1, s)$ if c is not a power of two, and cluster $(c - 1, \lfloor \frac{s}{2} \rfloor)$ otherwise. In this way, a message originated in corona c can be potentially routed in c hops to the sink. To this aim, observe that a leader transmission reaches the cluster destination as well as the other adjacent clusters because, during the routing protocol, sensors broadcast with a radius equal to the corona width. Therefore, to avoid that a cluster is simultaneously reached by two different leader transmissions on the same frequency channel, two leaders that use the same frequency channel must reside in two clusters that are at least at distance three. Thus, any frequency channel assignment (or, coloring) suitable for routing without collisions must satisfy the distance-two constraint discussed earlier.

It is worthy to note that a weaker constraint on the distance of leaders transmitting on the same frequency channel is sufficient for the leader election protocol. Indeed, as it will be explained below, during such a protocol, a message that originates in cluster (c, s) has for destination the cluster itself. Thus, to avoid collisions, it is sufficient that two leaders that transmit on the same frequency channel reside in two clusters at distance two. Hence, any coloring suitable for our routing algorithm is also suitable for the leader election.

A brief description of the routing and leader election protocols follow. Once the coloring of the virtual infrastructure has been performed, each sensor residing in a specific cluster is aware of its color. We consider one different frequency channel for each used color. Hence, each sensor will be aware of the frequency channel it has to use for transmission tasks. Our first goal is to elect, inside each cluster, one leader for each time-zone $0 \leq x \leq L - 1$. To this aim, we make use of the well-known *uniform leader election for radio networks* protocol presented in [9]. In particular, we can consider the so called *Scenario 2* in which an upper bound to the number of sensors competing for the leader election inside each cluster and for each time-zone is known. In fact, by exploiting the arguments presented in [6, 11] such an upper bound is $u \leq \frac{4}{3}A_1\Lambda = \frac{4\pi}{\ell}\Lambda$, where Λ is an estimation of the density of sensors related to one specific time-zone. From [9], the sensors require on average $\ln \ln u + o(\ln \ln u)$ transmissions. In practice, the protocol works by assigning a probability of transmission to each sensor. A sensor is elected as leader when it is the only one transmitting during the time-slot. If more than one sensor transmit or no one transmits, then the probability to transmit at the subsequent appropriate time-slot decreases or increases, respectively.

In our setting, we perform L leader elections, one for each time-zone, distributed over $O(\ln \ln u)$ subsequent sleep-awake periods. Only the sensors with the same time-zone are involved in one election. For each time-zone, each sensor performs one step of its leader election during every period. At the i -th time-slot of the j -th awake period, the sensors of time-zone i perform the j -th step of their leader election. Each sensor transmits only during the first time-slot of its awake period. In doing so, we obtain the required leader election for all time-zones and all clusters. In fact, the protocol is performed in parallel in all clusters, each cluster transmitting on the frequency channel assigned to it by the coloring protocol. Finally, the routing earlier described can start.

Since in each cluster we have elected one leader for each time-zone, there will always be one leader, in the destination cluster, awake and ready to forward the message. Moreover, since each communication is performed according to the frequency channels that satisfy the distance-two constraint, in each time-slot the message will decrease by one hop its distance from the sink. Thus, using a multi-hop technique, a message originated in corona c reaches the sink in c time-slots.

6 Conclusions

We investigated a virtual organization of a sink-centric subnetwork in a dense DC-WSN, that imposes a generalized coordinate system. Such a system provides a coarse-grained location to the

sensors and allows a naive geographic routing algorithm. All the sensors that acquire the same coordinates form a cluster. For routing purposes, we assume that the sensors can transmit using different frequency channels. Following a multi-hop approach along the cluster-sink path, sensors in the outer coronas of the virtual infrastructure transmit their messages to the sink through intermediate coronas. The message stream can continuously proceed if there is, at any time, a relaying sensor awake and ready to transmit and no collisions arise on the frequency channels. To avoid collisions, a frequency channel assignment (or, coloring) that satisfies a distance-two constraint is provided for the graph G_ℓ that represents the virtual infrastructure that has ℓ clusters in corona 1. Optimal coloring algorithms for G_ℓ with $\ell = 3 \cdot 2^x$, $x \geq 0$, $\ell = 4$, and $\ell = 5$ have been provided. In particular, *OPT3* is fully distributed and requires constant number of steps. Moreover, a generic coloring framework for the remaining values of $\ell > 6$, has been designed. Although it makes use of at most 9 colors, which is not optimal in general, it requires only constant number of steps to color a cluster, and this is a desirable property in distributed environments. Furthermore, to avoid redundant messages during the routing protocol, we elect leaders in each cluster that act as relaying sensors. To this aim, we adapt a known uniform leader election protocol to our scenario. In the future, we intend to implement our routing algorithm in both simulated and real settings. Moreover, the study of optimal colorings for adjacency graphs G_ℓ with an arbitrary number ℓ of clusters in corona 1 is still an interesting open problem for some values of ℓ .

References

- [1] I. F. Akyildiz and I. H. Kasimoglu. Wireless sensor and actor networks: research challenges. *Ad Hoc Networks*, 2(4):351–367, 2004.
- [2] F. Barsi, A. A. Bertossi, C. Lavault, A. Navarra, S. Olariu, C. M. Pinotti, and V. Ravelomanana. Efficient location training protocols for heterogeneous sensor and actor networks. *IEEE Transactions on Mobile Computing (TMC)*, 10(3):377–391, 2011.
- [3] F. Barsi, A. A. Bertossi, F. B. Sorbelli, R. Ciotti, S. Olariu, and C. M. Pinotti. Asynchronous corona training protocols in wireless sensor and actor networks. *IEEE Trans. on Parallel and Distributed Systems*, 20(8):1216–1230, 2009.
- [4] A. A. Bertossi, S. Olariu, and C. M. Pinotti. Efficient corona training protocols for sensor networks. *Theor. Comput. Sci.*, 402(1):2–15, 2008.
- [5] R. Brooks. On colouring the nodes of a network. *Mathematical Proceedings of the Cambridge Philosophical Society*, 37:194–197, 1941.
- [6] G. Ghidini, C. M. Pinotti, and S. K. Das. A Semi-Distributed Localization Protocol for Wireless Sensor and Actor Networks. In *Proceedings of the 6th IEEE International Workshop on Sensor Networks and Systems for Pervasive Computing (PerSeNS)*, pages 438–443, 2010.
- [7] F. Havet, J. van den Heuvel, C. McDiarmid, and B. Reed. List colouring squares of planar graphs. *Electronic Notes in Discrete Mathematics*, 29:515–519, 2007.
- [8] T. Melodia, D. Pompili, and I. F. Akyildiz. A communication architecture for mobile wireless sensor and actor networks. In *Proceedings of the 3rd Annual IEEE Communications Society Conference on Sensor, Mesh and Ad Hoc Communications and Networks (SECON)*, pages 109–118, 2006.
- [9] K. Nakano and S. Olariu. Uniform Leader Election Protocols for Radio Networks. *IEEE Trans. on Parallel and Distributed Systems*, 13(5):516–525, 2002.

- [10] A. Navarra and C. M. Pinotti. Collision-free routing in sink-centric sensor networks with coarse-grain coordinates. In *Proceedings of the 21st International Workshop on Combinatorial Algorithms (IWOCA)*, volume 6460 of *Lecture Notes in Computer Science*, pages 140–153, 2010.
- [11] A. Navarra, C. M. Pinotti, V. Ravelomanana, F. Betti Sorbelli, and R. Ciotti. Cooperative training for high density sensor and actor networks. *IEEE Journal on Selected Areas in Communications (JSAC)*, 28:753–763, 2010.
- [12] S. Olariu, A. Wadaa, L. Wilson, and M. Eltoweissy. Wireless sensor networks: leveraging the virtual infrastructure. *IEEE Network*, 18(4):51–56, 2004.
- [13] S. Olariu, Q. Xu, A. Wadaa, and I. Stojmenovic. *A Virtual Infrastructure for Wireless Sensor Networks*. John Wiley & Sons, 2005.
- [14] K. Sohrabi, J. Gao, V. Ailawadhi, and G. J. Pottie. Protocols for self-organization of a wireless sensor network. *IEEE Personal Communications*, 7:16–27, 2000.
- [15] J. van den Heuvel and S. McGuinness. Coloring the square of a planar graph. *J. Graph Theory*, 42:110–124, 2003.
- [16] A. Wadaa, S. Olariu, L. Wilson, M. Eltoweissy, and K. Jones. Training a wireless sensor network. *Mob. Netw. Appl.*, 10(1-2):151–168, 2005.
- [17] J. Yick, B. Mukherjee, and D. Ghosal. Wireless sensor network survey. *Computer Networks*, 52(12):2292–2330, 2008.
- [18] P. Zhang, C. M. Sadler, S. A. Lyon, and M. Martonosi. Hardware design experiences in zebrant. In *SenSys*, pages 227–238, 2004.